





Trade Med Disposable Health Products platform is built on the usage of all best environmental products that enhances our approach of living, and offers healthy environment,

Trade Med took its proper time to study and locate one of best Integrated all in one Solar lights that is so convenient in usage, easy to install, and gives users a sufficient bright light where is needed,

Trade Med presenting **SunTec Energy Powered solar LED Lights** system, an advanced designed, made by highly qualified electronic engineer's specialists in solar power solution

SunTec, Energy Power Integrated solar lights are built with

- Solar Panels : Monocrystalline - High Voltage and wattage Sunpower /US Brand
- Battery: LiFePO4 lithium iron phosphate battery, High voltage (V) and ampere-hour(AH)
- Material: Aluminum Alloy, Silver Color or black and silver
- Bulb Type: Bright White Color LED, Brand Bridgelux / US Brand

***Light up your Life, Stop Wasting Money
And Save Our Earth***



contents

- A** PIR Security Light
- B** Solar Pillar Light
- C** Solar Garden Light
- D** Solar Floor Standing Light
- E** Solar Lawn Light
- F** Solar Wall Light





JY-0007A-S1-31W-PIR



Battery
3 nos.



LED
31 nos.



Lighting Time
6-8 hr.



Solar Panel Wall
3 w



PIR Sensor
50 times

Solar Garden Light With Single Head



JY-0018A-S1-31W-PIR



JY-00084-S1-31W-PIR



JY-0012A-S1-19W-PIR



JY-0007A-S1-31W-PIR

JY-0001A-S1-19W-PIR

Features:

1. with pyroelectric infrared sensor
2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition
3. height: 124cm
4. aluminium alloy body
5. glass lampshade

Solar Pillar Light

JY-0007A-D-31W

Features:

1. low brightness setting options
2. lighting time: 6-12hrs
3. diameter: 26cm
4. aluminium alloy body
5. glass lampshade



JY-0012A-D-19W



JY-001A-D-19W



JY-0008A-D-31W



JY-0018A-D-31W



Battery
3 nos.



LED
31 nos.



Lighting Time
6-8/10-12 hr.



Solar Panel Watt
3 w





JY-0007A-S1-31W-PIR



Battery
3 nos.



LED
31 nos.



Lighting Time
6-8 hr.



Solar Panel Wall
3 w



PIR Sensor
50 times

Solar Garden Light with Single Head



JY-0001A S2
-19W-RIR



JY-0007A S2
-31W-RIR



JY-0008A S2
-31W-RIR




JY-0012A-S2-19W

Features:

1. low brightness setting options
2. lighting time: 6-12 hrs
3. height: 187cm
4. aluminium alloy body
5. glass lampshade





Solar Garden Light With Multi - Head



Battery
6 nos.



LED
35 nos.



Lighting Time
6-8/10-12 hr.



Solar Panel Watt
4.8 w



JY-0012B-S3-38W

Features:

1. low brightness setting options
2. lighting time: 6-12 hrs
3. height: 240cm
4. aluminium alloy body
5. glass lampshade



JY-007B-S3-62W



JY-001b-S3-38W



JY-0018B-S3-62W



JY-0008B-S3-62W

Solar Garden Light



Single Head JY-0030A-S1-12W

Solar Panel:2W

LES:12pcs super-high-power 0.3w white LED

Battery:6pcs*1500mAh Ni-MH Batteries

Features:

1. three brightness setting options
2. lighting time: 6-12hrs
3. stainless steel body
4. L*W*H:250*1188mm



Multi-Head JY-0030B-S3-24W

Solar Panel:4W

LES:12pcs super-high-power 0.3w white LED

Battery:12pcs*1500mAh Ni-MH Batteries

Features:

1. three brightness setting options
2. lighting time: 6-12hrs
3. stainless steel body
4. L*W*H:250*2196mm



Solar Floor Standing Light



JY -0034-12W



Battery
12 nos.



LED
12 nos.



Lighting Time
6/8/12 hr.



Solar Panel Wall
3 w

Features:

1. three brightness setting options
2. lighting time: 4.8.12hrs
3. diameter: 26cm
4. aluminium alloy body

Solar Lawn Light

JY-0026-G-13W-PIR

Solar Panel:0.6W

LED : 13pcs*0.07w white LED

Battert:3pcs*800mAh Ni-MH Batteries

Features:

1. with pyroelectric infrared sensor
2. lighting time:6-8 hrs
3. stainless steel body



JY-0027-G-13W-PIR

Solar Panel: 1W

LED : 13pcs*0.07w white LED

Battert:3pcs*800mAh Ni-MH Batteries

Features:

1. with pyroelectric infrared sensor
2. lighting time:6-8 hrs
3. stainless steel body



Solar Wall Light

JY-0026-W-13W-PIR

Solar Panel:0.6W

LED : 13pcs*0.07w white LED

Battert:3pcs*800mAh Ni-MH Batteries

Features:

1. with pyroelectric infrared sensor
2. lighting time:6-8 hrs
3. stainless steel body



JY-0027-W-13W-PIR



JY-0030A-W-12W

Solar Wall Light



Battery
3 nos.



LED
31 nos.



Lighting Time
6-8 hr.



Solar Panel Wall
3 w



PIR Sensor
50 times

JY -007A-W-31W-PIR

Features:

1. with pyroelectric infrared sensor
2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition
3. diameter: 26cm
4. aluminium alloy body
5. glass lampshade



JY-0001A
-W-19W-PIR



JY-0012A
-W-19W-PIR



JY-0018A
-W-31W-PIR



JY-0008A
-W-31W-PIR



Solar Wall Light



JY-0021C-W-9W-PIR







Features:

1. with pyroelectric infrared sensor
2. 6-12hrs daily in normal brightness continuous to work 2-3 days in rainy condition
3. L*W*H:185*100*165mm
4. aluminium alloy body








- 
 Battery
3 nos.
- 
 LED
9 nos.
- 
 Lighting Time
6-8 hr.
- 
 Solar Panel Wall
1w
- 
 PIR Sensor
50 times






Solar Garden Light With Single Head

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
1	JY-0001A-S1-19W		1.8W	19PCS*0.07W White LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. height: 124cm 4. aluminium alloy body 5. glass lampshade
2	JY-0001A-S1-19W					100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 124cm 4. aluminium alloy body 5. glass lampshade
3	JY-0002A-S1-19W		1.8W	19PCS*0.07W White LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. two brightness setting option 2. lighting time: 6-12hrs 3. height: 124 cm 4. aluminium alloy body 5. glass lampshade
4	JY-0002A-S1-19W-PIR					100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 124 cm 4 aluminium alloy body 5. glass lampshade
5	JY-0002A-S1-19W		2.4W	19PCS*0.07W White LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2 lighting time: 6-12 hrs 3 height: 137cm 4 aluminium alloy body 5 glass lampshade
6	JY-0002A-S1-19W-PIR					100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous 3 height: 137 cm 3 aluminium alloy body 5. glass lampshade
7	JY-0002A-S1-31W		3W	31PCS*0.07W White LED	3pcs*2800mAh Ni-MH batteries	100-150 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-2 hrs 3. height: 122cm 4. aluminium alloy body 5 glass lampshade
8	JY-0007A-S1-31W-PIR				3pcs*3600mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 122cm 4. aluminium alloy body 5. glass lampshade
9	JY-0007A-4W-S1-31W		4W	31PCS*0.07W White LED	3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 122cm 4. aluminium alloy body 5. glass lampshade
10	JY-0008A-4W-S1-31W-PIR		4W	31PCS*0.07W White LED	3pcs*4500mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 122cm 4. aluminium alloy body 5. glass lampshade

Solar Garden Light With Multi Head








S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
11	JY-0018A-4W-S1-31W		4W		3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 122cm 4. aluminium alloy body 5. glass lampshade
12	JY-0018A-4W-S1-31W-PIR		4W	31pcs*0.07w white LED	3pcs*4500mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 122cm 4. aluminium alloy body 5. glass lampshade
13	JY-0001A-S2-19W					70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 175cm 4. aluminium alloy body 5. glass lampshade
14	JY-0001A-S2-19W-PIR		1.8W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 175cm 4. aluminium alloy body 5. glass lampshade
15	JY-0002A-S2-19W					70-120 lm	<ol style="list-style-type: none"> 1. two brightness setting options 2. lighting time: 6-12 hrs 3. height: 175cm 4. aluminium alloy body 5. glass lampshade
16	JY-0002A-S1-19W-PIR		1.8W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 175cm 4. aluminium alloy body 5. glass lampshade
17	JY-0012A-S1-19W					70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 187cm 4. aluminium alloy body 5. glass lampshade
18	JY-0012A-S2-19W-PIR		2.4W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	100-130 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 187cm 4. aluminium alloy body 5. glass lampshade
19	JY-0007A-S2-31W				3pcs*2800mAh Ni-MH batteries	100-150 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 172 cm 4. aluminium alloy body 5. glass lampshade
20	JY-0007A-S2-31W-PIR		3W	31pcs*0.07w white LED	3pcs*3600mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade








Solar Wall Light

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
21	JY-0008A-4W-S2-31W		4W		3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
22	JY-0008A-4W-S2-31W-PIR		4W		3pcs*4000mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 3-4 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
23	JY-0008A-7W-S2-31W		7W		10pcs*2000mAh Ni-MH batteries	250-300 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
24	JY-0008A-7W-S2-31W-PIR		7W		10pcs*2000mAh Ni-MH batteries	350-450 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 3-4 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
25	JY-0018A-4W-S2-31W		7W		3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. two brightness setting options 2. lighting time: 6-12 hrs 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
26	JY-0018A-4W-S2-31W-PIR		4W	31pcs*0.07w white LED	3pcs*4500mAh Ni-MH batteries	180-220 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
27	JY-0018A-7W-S2-31W		7W		3pcs*2000mAh Ni-MH batteries	250-300 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
28	JY-0018A-S2-S2-31W-PIR		7W	31pcs high-power 0.14w white LED	10pcs*2000mAh Ni-MH batteries	350-450 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade
29	JY-0041A-6.5W-S3-14W		6.5W	14pcs high-power 0.14w white LED	10pcs*1600mAh Ni-MH batteries	160-200 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 260 cm 4. aluminium alloy body 5. glass lampshade









Solar Garden Light With Multi Head


Solar Wall Light

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
1			3.6W	38pcs*0.07w white LED	6pcs*2000mAh Ni-MH batteries	140-240 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 235cm 4. aluminium alloy nody 5. glass lampshade
2	JY-0012B-S3-38W		4.8W	38pcs*0.07w white LED	6pcs*2000mAh Ni-MH batteries	140-240 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 240cm 4. aluminium alloy nody 5. glass lampshade
3	JY-0007B-S3-62W		6W	62pcs*0.07w white LED	6pcs*2800mAh Ni-MH batteries	200-300 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 235cm 4. aluminium alloy nody 5. glass lampshade
4	JY-0008B-S3-62W		8W	62pcs*0.07w white LED	6pcs*4000mAh Ni-MH batteries	260-360 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 235cm 4. aluminium alloy nody 5. glass lampshade
5	JY-0018B-S3-62W		8W	62pcs*0.07w white LED	6pcs*4000mAh Ni-MH batteries	260-360 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 235cm 4. aluminium alloy nody 5. glass lampshade
6	JY-0018C-S3-93W		12W	93pcs*0.07w white LED	9pcs*4000mAh Ni-MH batteries	390-540 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 235cm 4. aluminium alloy nody 5. glass lampshade
7	JY-0012C-S3-57W		7.2W	57pcs*0.07w white LED	9pcs*2000mAh Ni-MH batteries	380-360 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 240cm 4. aluminium alloy nody 5. glass lampshade

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
1	JY-0001A-W-19W		1.8W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 22cm 4. aluminium alloy nody 5. glass lampshade
2	JY-0012A-W-19W		2.4W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 22cm 4. aluminium alloy nody 5. glass lampshade
3	JY-0007A-W-31W		3W	31pcs*0.07w white LED	3pcs*2800mAh Ni-MH batteries	100-150 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 26cm 4. aluminium alloy nody 5. glass lampshade
4	JY-0008A-W-31W		4W	31pcs*0.07w white LED	3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 28cm 4. aluminium alloy nody 5. glass lampshade
5	JY-0018A-W-31W		4W	31pcs*0.07w white LED	3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12 hrs 3. height: 28cm 4. aluminium alloy nody 5. glass lampshade
6	JY-0026A-W-31W-PIR		0.6W	31pcs*0.07w white LED	3pcs*800mAh Ni-MH batteries	70-90 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. lighting time: 6-8hrs 3. stainless steel body
7	JY-0027-W-31W-PIR		1W	31pcs high power 0.14w white LED	3pcs*1500mAh Ni-MH batteries	140-180 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. lighting time: 6-8hrs 3. stainless steel body










Solar Pillar Light

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
8	JY-0030-W-12W		2W	12pcs super-high-power 0.3w white LED	6pcs*1500mAh Ni-MH batteries	300-350 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. stainless steel body
9	JY-0030-W-9W-PIR		0.5W	9pcs*0.07w white LED	3pcs*600mAh Ni-MH batteries	50-60 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*185*100*165mm 4. aluminium alloy body
10	JY-0021B-W-9W-PIR		0.8W	9pcs* high power 0.14 w white LED	3pcs*1000mAh Ni-MH batteries	100-140 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*100*165mm 4. aluminium alloy body
11	JY-0021C-W-9W-PIR		1W	9pcs* super-high-power 0.3w white LED	3pcs*2000mAh Ni-MH batteries	220-270 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*100*165mm 4. aluminium alloy body
12	JY-0041A-W-14W		6.5W	14pcs high power 0.14w white LED	10pcs*1600mAh Ni-MH batteries	160-200 lm	<ol style="list-style-type: none"> 1. two brightness setting options 2. lighting time: 6-12 hrs 3. diameter: 350 cm 4. aluminium alloy body 5. glass lampshade
13	JY-0013A-W-21W-PIR		1W	21pcs*0.07w white LED	3pcs*1000mAh Ni-MH batteries	120-140 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*185*100*165mm 4. aluminium alloy body
14			1.8W	21pcs high power 0.14w white LED	3pcs*2000mAh Ni-MH batteries	240-280 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*185*100*165mm 4. aluminium alloy body
15	JY-0013C-W-21W-PIR		2.5W	21pcs super-high-power 0.3w white LED	3pcs*3600mAh Ni-MH batteries	450-600 lm	<ol style="list-style-type: none"> 1. with pyroelectric infrared sensor. 2. 6-12hrs daily in normal brightness, continuous to work 2-3 days in rainy condition 3. L*W*H:185*185*100*165mm 4. aluminium alloy body

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
1	JY-0001A-D-19W		1.8W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 22cm 4. aluminium alloy body 5. glass lampshade
2	JY-00012A-D-19W		2.4W	19pcs*0.07w white LED	3pcs*2000mAh Ni-MH batteries	70-120 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 22cm 4. aluminium alloy body 5. glass lampshade
3	JY-0007A-D-31W		3W	31pcs*0.07w white LED	3pcs*2800mAh Ni-MH batteries	100-150 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 26cm 4. aluminium alloy body 5. glass lampshade
4	JY-0008A-D-31W		4W	31pcs*0.07w white LED	3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 28cm 4. aluminium alloy body 5. glass lampshade
5	JY-0018A-D-31W		4W	31pcs*0.07w white LED	3pcs*4000mAh Ni-MH batteries	130-180 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 28cm 4. aluminium alloy body 5. glass lampshade
6	JY-0041A-D-14W		6.5W	14pcs high-power 0.14w white LED	10pcs*1600mAh Ni-MH batteries	160-200 lm	<ol style="list-style-type: none"> 1. low brightness setting options 2. lighting time: 6-12hrs 3. diameter: 350cm 4. aluminium alloy body 5. glass lampshade

Other Solar Light

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
1	JY-00034-12W		3W	12pcs super-high-power 0.3w white LED	10pcs*1000mAh Ni-MH batteries	300-360 lm	<ol style="list-style-type: none"> three brightness setting options lighting time: 4,8,12hrs diameter: 26cm aluminum alloy body
2	JY-0004A-20W-PIR		1W	20pcs*0.07w white LED	10pcs*1500mAh Ni-MH batteries	100-140 lm	<ol style="list-style-type: none"> with pyroelectric infrared sensor. 4-5hrs daily in normal brightness, continuous to work 2-3 days in rainy condition L*W*H:180*150*380mm Acrylonitrile-butadiene-styrene(ABS) material
3	JY-0004B-20W-PIR		2W	20pcs high Power 0.14w white LED	3pcs*2800mAh Ni-MH batteries	200-280 lm	<ol style="list-style-type: none"> with pyroelectric infrared sensor. 4-5hrs daily in normal brightness, continuous to work 2-3 days in rainy condition L*W*H:180*150*380mm Acrylonitrile-butadiene-styrene(ABS) material
4	JY-0004C-20W-PIR		2.5W	20pcs super-high-power 0.3w white LED	3pcs*3600mAh Ni-MH batteries	500-600 lm	<ol style="list-style-type: none"> with pyroelectric infrared sensor. 4-5hrs daily in normal brightness, continuous to work 2-3 days in rainy condition L*W*H:180*150*380mm Acrylonitrile-butadiene-styrene(ABS) material
5	JY-0020A-W-12W		0.5W	12pcs*0.07w white LED	3pcs*600mAh Ni-MH batteries	60-80 lm	<ol style="list-style-type: none"> low brightness setting options lighting time: 4-8 hrs L*W*H:245*72*45mm Acrylonitrile-butadiene-styrene(ABS)material
6	JY-0020B-W-12W		1W	12pcs high power 0.14w white LED	3pcs*1000mAh Ni-MH batteries	120-160 lm	<ol style="list-style-type: none"> low brightness setting options lighting time: 4-8 hrs L*W*H:245*72*45mm Acrylonitrile-butadiene-styrene(ABS)material
7	JY-0020C-W-12W		2.5W	12pcs super-high-power 0.3w white LED	6pcs*1500mAh Ni-MH batteries	300-360 lm	<ol style="list-style-type: none"> low brightness setting options lighting time: 4-8 hrs L*W*H:245*72*45mm Acrylonitrile-butadiene-styrene(ABS)material
8	JY-0026-G-13W-PIR		0.6W	13pcs*0.07w white LED	3pcs*800mAh Ni-MH batteries	70-90 lm	<ol style="list-style-type: none"> with pyroelectric infrared sensor, light time: 6-8hrs Stainless Steel body
9	JY-0027-G-13W-PIR		1W	13pcs high power 0.14w white LED	3pcs*1500mAh Ni-MH batteries	140-180 lm	<ol style="list-style-type: none"> with pyroelectric infrared sensor, light time: 6-8hrs Stainless Steel body

S/N	Model	Picture	Solar Panel	LED	Battery	Luminous Flux	Features
10	JY-0030A-S1-12W		2W	12pcs super-high-power 0.3w white LED	6pcs*1500mAh Ni-MH batteries	300-350 lm	<ol style="list-style-type: none"> three brightness setting options lighting time: 6-12 hrs stainless steel body L*W*H:250*250*1188mm
11	JY-0030A-S2-12W		2W	12pcs super-high-power 0.3w white LED	6pcs*1500mAh Ni-MH batteries	300-350 lm	<ol style="list-style-type: none"> three brightness setting options lighting time: 6-12 hrs stainless steel body L*W*H:250*250*1688mm
12	JY-0037A		0.5-2.5W	Qty of LED :10-200pcs for you option	3-pcs AA batteries		<ol style="list-style-type: none"> for solar panel, Max power can be 2.5W 2-6pcs AA batteries inside of it choose from 8 mode by single key to be automatic, steady lighting, flashing...etc could be powered by transformer Acrylonitrile-butadiene-styrene (ABS) material various mounting options
13	JY-0037B		0.5-2.5W	Qty of LED :10-200pcs for you option	3-6pcs AA batteries		<ol style="list-style-type: none"> for solar panel, Max power can be 2.5W 2-6pcs AA batteries inside of it choose from 8 mode by single key to be automatic, steady lighting, flashing...etc could be powered by transformer Acrylonitrile-butadiene-styrene (ABS) material various mounting options
14	JY-0037C		1.5-2.5W	Qty of LED :10-200pcs for you option	3-6pcs AA batteries		<ol style="list-style-type: none"> for solar panel, Max power can be 2.5W 3-6pcs AA batteries inside of it choose from 8 mode by single key to be automatic, steady lighting, flashing...etc could be powered by transformer Acrylonitrile-butadiene-styrene (ABS) material various mounting options
15	JY-0051		0.5W	9pcs*0.07w white LED	1pc*1500mAh Ni-MH batteries	50-60 lm	<ol style="list-style-type: none"> lighting time: 6-8hrs acrylonitrile-butadiene-styrene(ABS) material
16	JY-0052		0.5W	9pcs*0.07w white LED	1pc*1500mAh Ni-MH batteries	50-60 lm	<ol style="list-style-type: none"> lighting time: 6-8hrs acrylonitrile-butadiene-styrene(ABS) material
17	JY-0053		1W	9pcs*0.07w white LED	3pc*1000mAh Ni-MH batteries	50-60 lm	<ol style="list-style-type: none"> lighting time: 6-8hrs acrylonitrile-butadiene-styrene(ABS) material
18	JY-0054		1W	9pcs*0.07w white LED	3pc*1000mAh Ni-MH batteries	50-60 lm	<ol style="list-style-type: none"> lighting time: 6-8hrs acrylonitrile-butadiene-styrene(ABS) material



Ras Al Khaimah , U.A.E P.O.Box: 6626 M: +971 50 212 0889 E: joe@trademedme.com

www.trademed.com